



شركة السرعه لاجهزة فحص وكشف اعطال السيارات

www.borabdah.com

Auto Diagnostic Tool (Full Set Software Package)

The new generation diagnostic tool Autosnap GD860 stands the latest and the innovative technology with brand new technology platform. GD860 delivers more accurate, more comprehensive, more stable and faster diagnosis to help workshops and technicians repair vehicles.

GD860



Features & Functions

- Capable of nearly all vehicles of Asian, European and American vehicle makes
- Supports all OBDII protocols and all 9 test modes
- Complete function capability including Live Data, Adaptation, Actuation, ECU programming and others
- Covers all electronic systems of vehicles: Engine, ABS, SRS, AT and others
- Innovative dual-processor technology for quicker diagnostics
- 7 inch 800 x 480 pixel TFT color display with high luminance and high resolution provides excellent view of test results, wave, graphs, gauge and etc.
- Extremely easy, convenient and flexible to use with touch screen operation
- Windows CE operating system makes more stable performances, better compatibility and expandability
- Extremely easy-to-use with touch-screen operation
- Unique ergonomic design features strong housing and more convenient to hold
- Intelligent memory of vehicles for easy and quick diagnosis of tested vehicles
- Capture, save and print screenshots for convenient troubleshooting
- Display live data in text, graph and analog for easy data review and analysis
- Record and playback live data
- Universal 16 PIN connector for all 16 PIN socket
- Print out data with optional mini-printer



Asian Vehicles: Toyota, Honda, Nissan, Mitsubishi, Mazda, Suzuki, Subaru, Hyundai, Kia...



more...

European Vehicles: Audi/VW, BENZ, BMW, Volvo, Opel, Citroen, Peugeot, Renault ...



more...

American Vehicles: GM, Chrysler, Ford



| | |
|------------------------------|--|
| Operating System | Windows CE |
| CPU | ARM9+ARM7dual processor |
| RAM | 64M |
| Power Consumption | 4.8W |
| Input Voltage | 8.0-36.0V power provided via vehicle battery |
| Display | Backlit, 7" TFT (800*480) color display with touch screen |
| Operating Current | 400mA |
| Printer Interface | USB |
| Operating Temperature | 0 to 60°C (32 to 140 F°) |
| Storage Temperature | -10 to 70°C (14 to 158 F°) |
| USB Port | Universal Serial Bus/USB |
| Dimension | 206mm (8.11") *173mm (6.81") *45mm (1.77") (L * W * H) |
| Weight | 0.7Kg |
| Protocols | SAE-J1850 VPW, SAE-J1850 PWM, CAN ISO 11898, ISO15765-4, ISO9141-2, K/L lines, all CAN & OBDII protocols |



00218913793443 – 00218922090876

ليبيا بنغازى حى السلام شارع لبنان